



according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lysoformin

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Wipe disinfection of surfaces, objects and medical devices For professional use.

1.3. Details of the supplier of the safety data sheet

Company name: Lysoform Dr. Hans Rosemann GmbH

Street: Kaiser-Wilhelm-Straße 133

Place: D-12247 Berlin

Telephone: +49 (0)30 77992-0 Telefax: +49 (0)30 77992-219
Contact person: Wissenschaftlich-Technische Telephone: +49 (0)30 / 77992-216

Abteilung Berlin

e-mail: kontakt@lysoform.de
Internet: www.lysoform.de

1.4. Emergency telephone +49 (0)89 19240 (Giftnotruf München Toxikologische Abteilung)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1

Germ cell mutagenicity: Muta. 2 Carcinogenicity: Carc. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements: Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. Suspected of causing genetic defects.

May cause cancer.

May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Formaldehyde

Sodium alkyl ether sulphate 1,5-pentanedial, glutaral

Signal word: Danger

Pictograms:











Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 2 of 13

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.

H350 May cause cancer.

Precautionary statements

P280 Ware protective gloves, protective clothing and eye protection.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.
P310 In case of accident: Call a doctor immediately.

2.3. Other hazards

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to	Regulation (EC) No. 1272/2008 [0	CLP]			
50-00-0	Formaldehyde			5 - < 10 %		
	200-001-8	605-001-00-5	01-2119488953-20			
	Carc. 1B, Muta. 2, Acute To H341 H331 H311 H301 H3	-	Skin Corr. 1B, Skin Sens. 1; H350			
68891-38-3	Sodium alkyl ether sulphate	1 - < 5 %				
	500-234-8		01-2119488639-16			
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412					
111-30-8	1,5-pentanedial, glutaral					
	203-856-5	605-022-00-X	01-2119455549-26			
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H330 H301 H314 H334 H317 H335 H400 H411 EUH071					
64-17-5	ethanol, ethyl alcohol					
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H319					

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, perfumes (Butylphenyl methylpropional).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Call a physician immediately. If medical advice is needed, have product container or label at hand.





according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 3 of 13

After inhalation

Remove person to fresh air and keep comfortable for breathing.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of water.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

irritation of the mucous membranes, Headache, indisposition

4.3. Indication of any immediate medical attention and special treatment needed

Treatment of the patient is the same as for a chemical burn.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide, Extinguishing powder, Foam

5.2. Special hazards arising from the substance or mixture

In case of fire dangerous vapors / gases can be released Carbon monoxide Carbon dioxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Keep container tightly closed. To prepare a dilution, always first fill in the water and then add the product.

Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 4 of 13

Further information on handling

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container dry. Avoid: Frost. Keep out of the reach of children. Store in a place accessible by authorized persons only. (TRGS 510 4.2 (12))

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
111-30-8	Glutaraldehyde	0.05	0.2		TWA (8 h)	WEL
		0.05	0.2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
50-00-0	Formaldehyde					
Worker DNEL,	long-term	dermal	systemic	240 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	0.5 mg/m³		
Worker DNEL,	acute	inhalation	systemic	1 mg/m³		
68891-38-3	Sodium alkyl ether sulphate					
Worker DNEL,	long-term	dermal	systemic	2750 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	175 mg/m³		
111-30-8	1,5-pentanedial, glutaral					
Worker DNEL,	acute	inhalation	local	0.25 mg/m³		
64-17-5	ethanol, ethyl alcohol					
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³		
Worker DNEL, acute		inhalation	local	1900 mg/m³		
Consumer DNEL, acute		inhalation	local	950 mg/m³		
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³		
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day		
Consumer DNE	EL, long-term	dermal	systemic	206 mg/kg bw/day		



according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 5 of 13

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
50-00-0	Formaldehyde	·
Freshwater		0.47 mg/l
Marine water		0.47 mg/l
Freshwater s	ediment	2.44 mg/l
Marine sedim	nent	2.44 mg/l
Micro-organis	sms in sewage treatment plants (STP)	0.19 mg/l
Soil		0.03 mg/kg
68891-38-3	Sodium alkyl ether sulphate	
Freshwater		0.24 mg/l
Marine water		0.024 mg/l
Freshwater s	ediment	5.45 mg/kg
Marine sedim	nent	0.545 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10000 mg/l
Soil		0.946 mg/kg
111-30-8	1,5-pentanedial, glutaral	
Freshwater		0.0025 mg/l
Marine water		0.00025 mg/l
Freshwater s	ediment	5.27 mg/kg
Marine sedim	nent	0.009 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0.8 mg/l
Soil		0.18 mg/kg
64-17-5	ethanol, ethyl alcohol	
Freshwater		0.96 mg/l
Marine water	0.79 mg/kg	
Freshwater s	3.6 mg/kg	
Micro-organis	sms in sewage treatment plants (STP)	580 mg/l
Soil		0.63 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

When handling the concentrated product (for example, transferring) use tight fitting eye protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 6 of 13

control digits. Chemical protective gloves must specifically chosen for each workplace depending on the concentration and amount of hazardous substances, temperature and contact time.

Recommendation:

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

To prevent skin irritation in the professional field - regardless of actual contact with disinfectants - it is recommended to use: • a fast absorbing skin care cream in between if necessary. • a greasy cream after washing at the end of work or before breaks.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. ABEK

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

pH-Value (at 20 °C): 7 (50 g/l H2O)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined
not determined

rot determined

rot determined

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1.0 g/cm³

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined

9.2. Other information

SECTION 10: Stability and reactivity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 7 of 13

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Safe handling: see section 7

10.5. Incompatible materials

Oxidising agent, strong, Acid, Base

10.6. Hazardous decomposition products

The product is chemically stable under recommended conditions of storage, use and temperature.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute inhalation nebulization (rat): LC50 = 53 ml / h (24 h) LC50 = 42 ml / h (14 d)

Acute inhalation nebulization (rat): 0.75%; 1.5%; 3.0% and 5.0% solutions tested (4 h), 3% solution "no effect"

Subacute inhalation (rat): Maximum acceptance value (with safety factor of 10) =

ATEmix tested

Dose Species Source

LD50, oral 2100 mg/kg Rat





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 8 of 13

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
50-00-0	Formaldehyde								
	oral	LD50 mg/kg	100	Rat					
	dermal	LD50 mg/kg	270	Rabbit					
	inhalative vapour	ATE	3 mg/l						
	inhalative aerosol	ATE	0.5 mg/l						
68891-38-3	Sodium alkyl ether sulpha	Sodium alkyl ether sulphate							
	oral	LD50 mg/kg	>5000	Rat					
	dermal	LD50 mg/kg	>5000	Rat					
111-30-8	1,5-pentanedial, glutaral								
	oral	LD50	77 mg/kg	Rat		OECD 401			
	dermal	LD50 mg/kg	>2000	Rat		OECD 402			
	inhalative vapour	ATE	0.5 mg/l						
	inhalative (4 h) aerosol	LC50 mg/l	0.28-0.39	Rat		OECD 403			
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol							
	oral	LD50 mg/kg	6200	Rat	IUCLID				
	inhalative (4 h) vapour	LC50	95,6 mg/l		IUCLID				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

In case of skin contact Test Rabbit: "severe skin irritation"

In case of eye contact Test Rabbit: Causes serious eye damage.; 0.5% solution: "non irritant"

Glutaral (in aqueous solution)

In case of skin contact Rabbit corrosive (OECD 404)

In case of eye contact Rabbit irreversible damage (Draize-Test)

Sensitising effects

May cause an allergic skin reaction. (Formaldehyde: 1,5-pentanedial, glutaral)

May cause allergy or asthma symptoms or breathing difficulties if inhaled . (1,5-pentanedial, glutaral)

0,1% solution Guinea pig: negative.

Glutaral (in aqueous solution)

Positive data from patch testing. (OET) Guinea pig

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (Formaldehyde)

May cause cancer. (Formaldehyde)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Formaldehyde; 1,5-pentanedial, glutaral)

STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 9 of 13

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
50-00-0	Formaldehyde							
	Acute fish toxicity	LC50	6.7 mg/l		Lepomis macrochirus (Bluegill)			
	Acute crustacea toxicity	EC50	42 mg/l		Daphnia magna (Big water flea)			
68891-38-3	Sodium alkyl ether sulpha	te						
	Acute fish toxicity	LC50 mg/l	10 - 100	96 h	Leuciscus idus (golden orfe)			
	Fish toxicity	NOEC 10 mg/l	>1 - <=		Leuciscus idus (golden orfe)			
	Crustacea toxicity	NOEC mg/l	>0.1 - 1		Daphnia magna (Big water flea)			
111-30-8	1,5-pentanedial, glutaral							
	Acute fish toxicity	LC50	0.8 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	0.6 mg/l		Desmodesmus subspicatus		OECD 201	
	Acute crustacea toxicity	EC50	2.1 mg/l		Daphnia magna (Big water flea)			
	Fish toxicity	NOEC	1.6 mg/l	97 d	Oncorhynchus mykiss (Rainbow trout)			
	Crustacea toxicity	NOEC	5 mg/l		Daphnia magna (Big water flea)		OECD 211	
64-17-5	ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	13000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute crustacea toxicity	EC50 mg/l	12340	48 h	Daphnia magna			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	•		-				
50-00-0	Formaldehyde							
	Readily biodegradable (according to OECD criteria).							
68891-38-3	Sodium alkyl ether sulphate							
	Readily biodegradable (according to OECD criteria).							
111-30-8	1,5-pentanedial, glutaral							
	OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A	90 - 100 %	28					
	Readily biodegradable (according to OECD criteria).							
64-17-5	ethanol, ethyl alcohol							
•	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	97%						





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 10 of 13

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-30-8	1,5-pentanedial, glutaral	-0.36
64-17-5	ethanol, ethyl alcohol	-0,32

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	3.2		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors; hazardous waste

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1903

14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral; glutaraldehyde;

1,5-pentanedialFormaldehyde 5-10 %)

14.3. Transport hazard class(es): 8
14.4. Packing group: III

Hazard label: 8



Classification code:





according to Regulation (EC) No 1907/2006

LysoforminRevision date: 01.03.2018Product code: LYS634Page 11 of 13

Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Marine transport (IMDG)

14.1. UN number: UN 1903

14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral; glutaraldehyde;

1,5-pentanedial,Formaldehyde 5-10 %)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1903

14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Gluturaldehyde,

Formaldehyde)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information





according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 12 of 13

Additional information

To follow: Regulation (EC) No. 648/2004 (Detergents regulation), 850/2004/EC, 1107/2009/EC, 649/2012/EC. 1907/2006 REACh / 1272/2008 CLP GHS

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 4.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns and eve da

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H350 May cause cancer.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Further Information

The data contained in this safety data sheet is based on our current knowledge and experience and describe the product with regard to safety requirements. The information should not be regarded in any way as a description of the product's properties (product specification). Agreed characteristics nor the suitability of the product for a specific purpose can not be derived from the information in the SDS. We will advise you as to whether and under what circumstances, the preparation is suitable for a defined purpose. Proprietary rights and existing laws and regulations must be respected by the receiver of our product.





according to Regulation (EC) No 1907/2006

Lysoformin

Revision date: 01.03.2018 Product code: LYS634 Page 13 of 13

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)